

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2014

Part of body	Part of body code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		67,400	24,080	3,520	2,270	1,800	470	5,880	220	110
Head	1	4,620	60	140	450	440	20	920	40	70
Head, unspecified	10	1,060	—	—	140	140	—	320	—	—
Cranial region, including skull	11	1,130	—	—	50	50	—	60	—	—
Brain	111	1,000	—	—	—	—	—	—	—	—
Scalp	112	110	—	—	50	50	—	50	—	—
Ear(s)	12	80	—	—	—	—	—	—	—	—
Face	13	2,230	40	130	240	240	—	520	40	70
Face, unspecified	130	360	—	—	30	30	—	150	40	—
Forehead	131	160	—	—	30	30	—	40	—	—
Eye(s)	132	930	20	—	90	80	—	150	—	60
Nose, nasal cavity	133	120	—	70	—	—	—	20	—	—
Nose, except internal location of diseases or disorders	1330	120	—	70	—	—	—	20	—	—
Cheek(s)	134	50	—	—	—	—	—	30	—	—
Jaw, chin	135	120	—	—	—	—	—	60	—	—
Mouth	136	170	—	40	60	60	—	—	—	—
Mouth, unspecified	1360	20	—	—	—	—	—	—	—	—
Lip(s)	1361	60	—	—	50	50	—	—	—	—
Tooth (teeth)	1363	90	—	40	—	—	—	—	—	—
Multiple face locations	138	240	—	—	—	—	—	50	—	—
Face, n.e.c.	139	70	—	—	—	—	—	20	—	—
Multiple head locations	18	120	—	—	—	—	—	30	—	—
Neck, including throat	2	1,390	930	30	—	—	—	—	—	—
Neck, except internal location of diseases or disorders ...	20	1,380	930	30	—	—	—	—	—	—
Trunk	3	12,670	7,060	320	60	—	60	910	—	—
Trunk, unspecified	30	170	100	—	—	—	—	30	—	—
Chest, including ribs, internal organs	31	1,040	120	200	—	—	—	260	—	—
Chest, except internal location of diseases or disorders	310	880	120	200	—	—	—	260	—	—
Internal chest location, unspecified	311	30	—	—	—	—	—	—	—	—
Heart	313	100	—	—	—	—	—	—	—	—
Lung(s), pleura	315	40	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	32	9,440	6,100	60	—	—	—	330	—	—
Back, including spine, spinal cord, unspecified	320	4,160	2,630	30	—	—	—	100	—	—
Thoracic region	321	310	230	—	—	—	—	—	—	—
Lumbar region	322	4,470	3,000	—	—	—	—	150	—	—
Sacral region	323	90	20	—	—	—	—	—	—	—
Coccygeal region	324	130	—	—	—	—	—	60	—	—
Multiple back regions	328	250	160	—	—	—	—	—	—	—
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—	—	—
Abdomen	33	630	190	—	60	—	60	40	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2014 — Continued

Part of body	Nature of injury or illness ⁴							
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	All other natures ⁵
				Total	With fractures and other injuries	With sprains and other injuries		
Total	140	260	140	2,720	230	1,270	13,740	14,310
Head	—	—	—	190	20	—	910	1,850
Head, unspecified	—	—	—	30	—	—	480	70
Cranial region, including skull	—	—	—	—	—	—	—	1,010
Brain	—	—	—	—	—	—	—	1,000
Scalp	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	30	40
Face	—	—	—	140	—	—	360	690
Face, unspecified	—	—	—	20	—	—	60	20
Forehead	—	—	—	—	—	—	—	30
Eye(s)	—	—	—	20	—	—	80	500
Nose, nasal cavity	—	—	—	—	—	—	20	—
Nose, except internal location of diseases or disorders	—	—	—	—	—	—	20	—
Cheek(s)	—	—	—	—	—	—	—	—
Jaw, chin	—	—	—	—	—	—	—	40
Mouth	—	—	—	—	—	—	60	—
Mouth, unspecified	—	—	—	—	—	—	—	—
Lip(s)	—	—	—	—	—	—	—	—
Tooth (teeth)	—	—	—	—	—	—	50	—
Multiple face locations	—	—	—	40	—	—	80	50
Face, n.e.c.	—	—	—	—	—	—	30	—
Multiple head locations	—	—	—	20	20	—	30	40
Neck, including throat	—	—	—	—	—	—	250	140
Neck, except internal location of diseases or disorders	—	—	—	—	—	—	250	130
Trunk	—	—	—	120	—	80	3,040	1,160
Trunk, unspecified	—	—	—	—	—	—	30	—
Chest, including ribs, internal organs	—	—	—	20	—	—	220	230
Chest, except internal location of diseases or disorders	—	—	—	20	—	—	220	70
Internal chest location, unspecified	—	—	—	—	—	—	—	30
Heart	—	—	—	—	—	—	—	100
Lung(s), pleura	—	—	—	—	—	—	—	40
Back, including spine, spinal cord	—	—	—	80	—	60	2,310	570
Back, including spine, spinal cord, unspecified	—	—	—	30	—	30	1,230	120
Thoracic region	—	—	—	—	—	—	70	—
Lumbar region	—	—	—	—	—	—	880	430
Sacral region	—	—	—	—	—	—	70	—
Coccygeal region	—	—	—	—	—	—	—	—
Multiple back regions	—	—	—	30	—	30	30	20
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—
Abdomen	—	—	—	—	—	—	50	290

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Abdomen, except internal location of diseases or disorders	330	610	190	—	60	—	60	40	—	—
Intestines, peritoneum	335	20	—	—	—	—	—	—	—	—
Pelvic region	34	1,040	440	60	—	—	—	210	—	—
Hip(s)	341	690	300	50	—	—	—	160	—	—
Pelvis	342	40	—	—	—	—	—	—	—	—
Buttock(s)	343	20	—	—	—	—	—	—	—	—
Groin	344	260	110	—	—	—	—	30	—	—
External reproductive tract structures	345	20	—	—	—	—	—	—	—	—
Multiple trunk locations	38	350	120	—	—	—	—	40	—	—
Upper extremities	4	15,360	5,840	1,370	1,390	1,080	310	1,230	100	30
Upper extremities, unspecified	40	60	20	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	4,500	2,860	60	20	—	—	130	—	—
Arm(s)	42	2,480	1,020	300	130	50	80	210	40	—
Arm(s), unspecified	420	780	380	100	20	—	—	70	30	—
Upper arm(s)	421	260	110	20	70	—	60	—	—	—
Elbow(s)	422	960	350	150	—	—	—	110	—	—
Forearm(s)	423	260	80	20	40	20	—	—	—	—
Multiple arm locations	428	190	80	—	—	—	—	—	—	—
Multiple arm locations, unspecified	4280	30	30	—	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	60	30	—	—	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	100	20	—	—	—	—	—	—	—
Arm(s), n.e.c.	429	30	—	—	—	—	—	—	—	—
Wrist(s)	43	1,590	600	320	—	—	—	140	—	—
Hand(s)	44	5,050	720	680	1,200	1,000	190	590	60	30
Hand(s), unspecified	440	1,420	190	130	240	190	50	210	40	20
Hand(s), except finger(s)	441	130	20	—	80	60	—	—	—	—
Finger(s), fingernail(s)	442	3,220	500	540	820	720	110	340	20	—
Finger(s), fingernail(s), unspecified	4420	2,280	370	350	510	460	60	300	20	—
Fingertip(s)	4422	220	—	—	20	—	—	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	710	130	90	290	250	50	40	—	—
Hand(s) and finger(s)	448	200	—	—	40	40	—	20	—	—
Hand(s), n.e.c.	449	70	—	—	20	—	20	—	—	—
Multiple upper extremities locations	48	1,670	620	—	30	—	—	170	—	—
Multiple upper extremities locations, unspecified	480	40	20	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	250	80	—	—	—	—	20	—	—
Hand(s) and arm(s), unspecified	4810	80	20	—	—	—	—	—	—	—
Hand(s) and elbow(s)	4811	40	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	130	60	—	—	—	—	—	—	—
Hand(s) and wrist(s)	482	380	70	—	—	—	—	80	—	—
Wrist(s) and arm(s)	483	100	40	—	—	—	—	—	—	—
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	—	—	—	—
Wrist(s) and elbow(s)	4831	20	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	30	20	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2014 — Continued

Part of body	Nature of injury or illness ⁴							
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	All other natures ⁵
				Total	With fractures and other injuries	With sprains and other injuries		
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	—	50	270
Intestines, peritoneum	—	—	—	—	—	—	—	20
Pelvic region	—	—	—	—	—	—	280	40
Hip(s)	—	—	—	—	—	—	170	—
Pelvis	—	—	—	—	—	—	—	—
Buttock(s)	—	—	—	—	—	—	—	—
Groin	—	—	—	—	—	—	90	20
External reproductive tract structures	—	—	—	—	—	—	—	—
Multiple trunk locations	—	—	—	—	—	—	150	20
Upper extremities	140	260	80	200	50	60	2,870	1,860
Upper extremities, unspecified	—	—	—	—	—	—	—	30
Shoulder(s), including clavicle(s), scapula(e)	—	—	40	—	—	—	1,060	340
Arm(s)	—	—	—	40	—	—	380	360
Arm(s), unspecified	—	—	—	—	—	—	110	60
Upper arm(s)	—	—	—	—	—	—	30	30
Elbow(s)	—	—	—	—	—	—	160	170
Forearm(s)	—	—	—	—	—	—	30	60
Multiple arm locations	—	—	—	30	—	—	50	30
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	—	—	—	20	—	—	—	—
Multiple arm locations, n.e.c.	—	—	—	—	—	—	40	—
Arm(s), n.e.c.	—	—	—	—	—	—	—	—
Wrist(s)	—	260	—	—	—	—	210	40
Hand(s)	140	—	20	80	20	—	590	960
Hand(s), unspecified	—	—	—	50	—	—	180	370
Hand(s), except finger(s)	—	—	—	—	—	—	—	20
Finger(s), fingernail(s)	140	—	20	30	20	—	320	480
Finger(s), fingernail(s), unspecified	30	—	20	20	—	—	260	400
Fingertip(s)	110	—	—	—	—	—	—	—
Finger(s), fingernail(s), n.e.c.	—	—	—	—	—	—	60	80
Hand(s) and finger(s)	—	—	—	—	—	—	40	80
Hand(s), n.e.c.	—	—	—	—	—	—	30	—
Multiple upper extremities locations	—	—	—	70	20	30	620	140
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	—	—	—	20	—	—	50	60
Hand(s) and arm(s), unspecified	—	—	—	—	—	—	20	40
Hand(s) and elbow(s)	—	—	—	—	—	—	40	—
Hand(s) and arm(s), n.e.c.	—	—	—	20	—	—	—	20
Hand(s) and wrist(s)	—	—	—	20	—	20	180	20
Wrist(s) and arm(s)	—	—	—	—	—	—	40	—
Wrist(s) and arm(s), unspecified	—	—	—	—	—	—	20	—
Wrist(s) and elbow(s)	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Shoulder(s) and arm(s)	484	560	310	—	—	—	—	30	—	—
Multiple upper extremities locations, n.e.c.	489	340	100	—	—	—	—	30	—	—
Lower extremities	5	14,290	6,620	1,550	240	210	40	1,440	50	—
Lower extremities, unspecified	50	20	—	—	—	—	—	—	—	—
Leg(s)	51	8,010	3,780	260	130	110	20	1,020	—	—
Leg(s), unspecified	510	680	290	60	20	—	—	30	—	—
Thigh(s)	511	260	160	—	—	—	—	30	—	—
Knee(s)	512	6,170	3,040	110	—	—	—	840	—	—
Lower leg(s)	513	600	200	80	80	70	—	70	—	—
Multiple leg locations	518	240	70	—	—	—	—	40	—	—
Multiple leg locations, unspecified	5180	20	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	200	50	—	—	—	—	40	—	—
Multiple leg locations, n.e.c.	5189	30	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	519	50	—	—	—	—	—	—	—	—
Ankle(s)	52	3,050	2,050	320	—	—	—	40	—	—
Foot (feet)	53	2,580	500	920	110	100	—	360	50	—
Foot (feet), unspecified	530	1,480	390	530	50	40	—	190	30	—
Sole(s)	531	260	70	—	—	—	—	100	—	—
Heel(s)	5313	230	60	—	—	—	—	100	—	—
Toes(s), toenail(s)	532	560	30	370	50	50	—	—	—	—
Multiple foot (feet) locations	538	30	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	539	250	20	—	—	—	—	30	—	—
Multiple lower extremities locations	58	630	280	40	—	—	—	20	—	—
Foot (feet) and leg(s)	581	120	40	—	—	—	—	—	—	—
Foot(feet) and leg(s), unspecified	5810	30	—	—	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	80	40	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	120	70	—	—	—	—	—	—	—
Ankle(s) and leg(s)	583	280	140	40	—	—	—	—	—	—
Ankle(s) and leg(s), unspecified	5830	90	50	30	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	170	90	—	—	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	5839	30	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	110	20	—	—	—	—	—	—	—
Body systems	6	1,760	—	—	—	—	—	—	—	—
Multiple body parts	8	12,300	3,530	120	90	70	20	1,350	20	—
Multiple body parts, unspecified	80	770	230	—	—	—	—	80	—	—
Head and neck	81	420	70	—	—	—	—	30	—	—
Head, neck, and trunk	82	200	—	—	—	—	—	40	—	—
Head and trunk	83	140	—	—	—	—	—	40	—	—
Neck and back	84	930	500	—	—	—	—	—	—	—
Shoulder(s) and back	85	560	310	—	—	—	—	—	—	—
Hip(s) and leg(s)	86	170	60	—	—	—	—	—	—	—
Upper and lower limb(s)	87	1,030	210	—	20	20	—	200	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2014 — Continued

Part of body	Nature of injury or illness ⁴							
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	All other natures ⁵
				Total	With fractures and other injuries	With sprains and other injuries		
Shoulder(s) and arm(s)	—	—	—	—	—	—	210	—
Multiple upper extremities locations, n.e.c.	—	—	—	20	—	—	140	40
Lower extremities	—	—	30	310	—	250	2,650	1,390
Lower extremities, unspecified	—	—	—	—	—	—	—	—
Leg(s)	—	—	—	120	—	80	1,870	810
Leg(s), unspecified	—	—	—	20	—	—	190	60
Thigh(s)	—	—	—	—	—	—	40	—
Knee(s)	—	—	—	70	—	60	1,410	690
Lower leg(s)	—	—	—	—	—	—	130	30
Multiple leg locations	—	—	—	30	—	20	90	—
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	—	—	—	30	—	20	70	—
Multiple leg locations, n.e.c.	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	—	—	—	—	—	—	—	20
Ankle(s)	—	—	—	100	—	80	320	200
Foot (feet)	—	—	—	—	—	—	260	360
Foot (feet), unspecified	—	—	—	—	—	—	160	130
Sole(s)	—	—	—	—	—	—	40	20
Heel(s)	—	—	—	—	—	—	40	20
Toes(s), toenail(s)	—	—	—	—	—	—	20	60
Multiple foot (feet) locations	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	—	—	—	—	—	—	30	150
Multiple lower extremities locations	—	—	—	100	—	90	180	—
Foot (feet) and leg(s)	—	—	—	20	—	20	50	—
Foot(feet) and leg(s), unspecified	—	—	—	—	—	—	—	—
Foot(feet) and knee(s)	—	—	—	20	—	20	20	—
Foot (feet) and ankle(s)	—	—	—	—	—	—	—	30
Ankle(s) and leg(s)	—	—	—	30	—	30	50	—
Ankle(s) and leg(s), unspecified	—	—	—	—	—	—	—	—
Ankle(s) and knee(s)	—	—	—	30	—	30	40	—
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	—	—	—	30	—	30	50	—
Body systems	—	—	—	—	—	—	—	1,750
Multiple body parts	—	—	30	1,870	140	880	3,970	1,320
Multiple body parts, unspecified	—	—	—	110	—	20	230	120
Head and neck	—	—	—	170	—	90	80	60
Head, neck, and trunk	—	—	—	20	—	—	120	—
Head and trunk	—	—	—	—	—	—	70	—
Neck and back	—	—	—	—	—	—	360	60
Shoulder(s) and back	—	—	—	20	—	—	200	30
Hip(s) and leg(s)	—	—	—	20	—	20	80	—
Upper and lower limb(s)	—	—	—	250	30	100	220	120

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Other multiple body parts	89	8,070	2,130	100	50	50	—	940	20	—
Whole body	891	30	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c.	899	8,040	2,120	100	50	50	—	940	20	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2014 — Continued

Part of body	Nature of injury or illness ⁴							
	Amputa-tions	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Sore-ness, pain	All other natures ⁵
				Total	With fractures and other injuries	With sprains and other injuries		
Other multiple body parts	—	—	30	1,270	100	620	2,610	920
Whole body	—	—	—	—	—	—	20	—
Multiple body parts, n.e.c.	—	—	30	1,270	100	620	2,590	910

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2014 — Continued

Part of body	Part of body code ²	State government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Nonclassifiable	9999	5,010	50	—	30	—	20	20	—	—

See footnotes at end of table.

TABLE S19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, state government, 2014 — Continued

Part of body	Nature of injury or illness ⁴						
	Amputa-tions	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Sore-ness, pain
				Total	With fractures and other injuries	With sprains and other injuries	All other natures
Nonclassifiable	—	—	—	20	—	—	50 4,830

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 123; Fractures = 111; Cuts, lacerations, punctures, Total = 132-133; Cuts, lacerations = 132; Punctures = 133; Bruises, contusions = 143; Heat burns = 152; Chemical burns = 151; Amputations = 1311; Carpal tunnel syndrome = 2241; Tendonitis (other or unspecified) = 2735; Multiple traumatic injuries and illnesses, Total = 18; With fractures and other injuries = 183; With sprains and other injuries = 182; Sorenness, pain = 1972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.